

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6421711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 07:42
L2	547	EMC and (quality Qos)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 07:43
L3	2	EMC and (configur\$3 with (quality Qos))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:04
L4	13646	select\$4 with (paths channels connections) with (speeds rates) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:05
L5	3277	(select\$4 with (paths channels connections) with (speeds rates)).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:05
L6	0	(select\$4 with (paths channels connections) with (speeds rates) with LUNS).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:05
L7	0	(select\$4 with (paths channels connections) with (speeds rates) with RAID).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:06
L8	0	(select\$4 with (paths channels connections) with (speeds rates) and RAID).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:06

EAST Search History

L9	1	(select\$4 with (paths channels connections) with (speeds rates) same RAID) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:13
L10	786	(RAID near3 controller) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:13
L11	50	(RAID near3 controller) with (rate\$1 speeds bandwidth) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:13
L12	8	(RAID near3 controller) with (rate\$1 speeds bandwidth) with (paths connections channels) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:15
L13	13	(RAID near3 controller) with (rate\$1 speeds bandwidth) with (paths connect\$5 channels) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:32
L14	41	(RAID near3 controller) with select\$4 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:32
L15	41	((RAID near3 controller) with select\$4) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:20
L16	1701	((path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:21

EAST Search History

L17	53	(controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:21
L18	0	(RAID near2 controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
L19	0	(arrays near4 controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
L20	53	(controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
L21	0	RAID and (controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
L22	0	EMC and (controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
L23	53	(controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:23
L24	5	((storage store\$1) with controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:24

EAST Search History

L25	12	((storage store\$1) same controllers with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:02
L26	0	(RAID with (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:26
L27	0	(RAID same (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:26
L28	41	(RAID and (path\$1 link\$1 connection\$4) with QoS) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:58
L29	2	("6421711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 10:01
L30	2	("6,792,472").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 10:01
L31	94	((storage store\$1) same controllers with (path\$1 link\$1 connection\$4) with bandwidth) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:02
L32	0	(RAID near2 controllers with (path\$1 link\$1 connection\$4) with bandwidth) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:02

EAST Search History

L33	3	(RAID with controllers with (path\$1 link\$1 connection\$4) with bandwidth) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:48
L34	2	("6792472").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 10:48
L35	2	("6487562").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 10:48
S1	1	("6810396").PN.	USPAT; USOCR	OR	OFF	2006/05/03 14:42
S2	1	("6751702").PN.	USPAT; USOCR	OR	OFF	2006/05/03 14:44
S3	1	("6751702").PN.	USPAT; USOCR	OR	OFF	2006/05/03 14:44
S4	1	("6421711").PN.	USPAT; USOCR	OR	OFF	2006/05/03 15:18
S5	0	("20112030").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/03 15:18
S6	1	("20020112030").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/03 15:32
S7	199	(speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 07:43
S8	40764	(speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:38

EAST Search History

S9	5	(guarantee\$3 near1 speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:20
S10	718	(paths with speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:03
S11	4	(paths with speed\$3 with storages) same logical\$3 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:04
S12	63	(select\$3 with paths with speed\$3 with storages) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:04
S13	0	Nas and (select\$3 with paths with speed\$3 with storages) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:04
S14	4	Nas and (paths with speed\$3 with storages) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:08
S15	473	Nas and (paths with speed\$3) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:08
S16	130	Nas and (paths with high\$1 near1 speed\$3) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:08

EAST Search History

S17	5	Nas and (paths with high\$1 near1 speed\$3) with ports and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:10
S18	619101	NAS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:10
S19	165667	NAS and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:11
S20	25583	NAS and speed and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:12
S21	36	NAS and (port\$1 with path\$3 with speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:13
S22	30	(storage database) same (port\$1 with path\$3 with speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:46
S23	1500	(storage database) same (path\$3 with speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:47
S24	772	(storage database) with (path\$3 with speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:47

EAST Search History

S25	116209	(storage database) with ((select\$3 choos\$3) path\$3 with (speed rate\$3)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:48
S26	11175	(storage database) with (access\$3 with (select\$3 choos\$3) path\$3 with (speed rate\$3)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:48
S27	171	nas and (storage database) with (access\$3 with (select\$3 choos\$3) path\$3 with (speed rate\$3)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:37
S28	2832197	((select\$3 choos\$3) path\$3 with (speed rate\$3) with (volume\$1 array41)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:38
S29	2832013	((select\$3 choos\$3) path\$3 with (rate\$3) with (volume\$1 array41)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:38
S30	69	((select\$3 choos\$3)with path\$3 with (rate\$3) with (volume\$1 array41)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:39
S31	1	((select\$3 choos\$3)with path\$3 with (rate\$3) with (storage with(volume\$1 array41))) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:41
S32	4	((select\$3 choos\$3)with path\$3 with (transmitt\$3 with rate\$3) with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:43

EAST Search History

S33	496	((select\$3 choos\$3)near path\$3 with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:43
S34	496	((select\$3 choos\$3)near1 path\$3 with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:43
S35	14	"709"/\$.ccls. and ((select\$3 choos\$3)near1 path\$3 with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 18:29
S36	1	("20020152239").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/03 18:29
S37	138494	((speed\$3 rat\$3)with tables)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:38
S38	153	((speed\$3 rat\$3)with tables with (connections paths) with (choos\$3 select\$3))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:39
S39	20102937	((((speed\$3 rat\$3)with tables with (connections paths) with (choos\$3 select\$3)))".ab.and" @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:40
S40	28	((((speed\$3 rat\$3)with tables with (connections paths) with (choos\$3 select\$3)))".ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:41
S41	0	((((speed\$3 rat\$3)with (configur\$5 near2 tables) with (connections paths) with (choos\$3 select\$3))). ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:42

EAST Search History

S42	2	((((speed\$3 rat\$3)with (configur\$5 near2 tables) with (connections paths) with (choos\$3 select\$3)))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:42
S43	4	((((speed\$3 rat\$3)with (configur\$5 with tables) with (connections paths) with (choos\$3 select\$3)))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 16:44
S44	20	((((speed\$3 rat\$3)same (configur\$5 with tables) with (connections paths) same(choos\$3 select\$3)))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 17:04
S45	597	((((speed\$3 rat\$3)same (tables) with (connections paths) same(choos\$3 select\$3)))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 17:04
S46	153	((((speed\$3 rat\$3)with(tables) with (connections paths) with(choos\$3 select\$3)))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 17:05
S47	27	((((speed\$3 rat\$3)with(tables) with (connections paths) near1 (choos\$3 select\$3)))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 17:05
S48	2	("6854034").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:43
S49	2	("6282197").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:39

EAST Search History

S50	2	("6516000").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:39
S51	584	(configura\$3 with table)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:40
S52	0	(configura\$3 with table with rates)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:40
S53	7	(configura\$3 with table with rates)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:44
S54	527	(configura\$3 with rates)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:44
S55	269	(configura\$3 with rates and ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:44
S56	35	(configura\$3 with rates with ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:45
S57	0	(configura\$3 near1 tables same rates with ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:45

EAST Search History

S58	0	(configura\$3 near1 tables same (rates speed) with ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:46
S59	0	(configura\$3 near1 table same (rates speed) with ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:46
S60	108	(configura\$3 near1 table)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:46
S61	20105683	(configura\$3 near1 table) and (rates speed) with portsand @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:46
S62	1	(configura\$3 near1 table) and (rates speed) with port\$1 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:47
S63	0	(configura\$3 near1 table) with (rates speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:47
S64	1	(configura\$3 near2 table) with (rates speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:48
S65	3	(configura\$3 near2 table) same (rates speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:49

EAST Search History

S66	33	(configura\$3 with table) same (rates speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:49
S67	11	(configura\$3 with table) with (rates speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:50
S68	2	("6854034").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 16:13
S69	2	("6282197").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 16:14
S70	2	("6301605").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 16:14
S71	155	(logical with disk\$1 with configur\$3)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:09
S72	3	(logical with disk\$1 with configur\$3 with ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:50
S73	1	(logical adj2 disk\$1 same configur\$3 same ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:51

EAST Search History

S74	23	(logical adj2 disk\$1 same ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:51
S75	419	(configur\$4 with (storage store database) with speed\$4)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:10
S76	1937224	(configur\$4 with (storage store database) with speed\$4 wit connections)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:10
S77	9	(configur\$4 with (storage store database) with speed\$4 with connections)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:14
S78	23	(configur\$4 same (storage store database) with speed\$4 with connections)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:15
S79	2	(configur\$4 same (storage store database) with (select\$3 choos\$4) with speed\$4 with connections)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:16
S80	4377	(storage store database).ab. and (configur\$4 with select\$3 choos\$4 with speed\$4 with connections)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:17
S81	1023	((storage store database) and access\$4) .ab. and (configur\$4 with select\$3 choos\$4 with speed\$4 with connections)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:18

EAST Search History

S82	29	(fast\$4 and (storage store database) and access\$4) .ab. and (configur\$4 with select\$3 choos\$4 with speed\$4 with connections)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:31
S83	9550	((select\$3 choos\$4) with (fast\$3 highest higher) near2 (rate\$1 speed\$4))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:33
S84	2876	((select\$3 choos\$4) near3 (fast\$3 highest higher) near2 (rate\$1 speed\$4))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:33
S85	12	((select\$3 choos\$4) near3 (fast\$3 highest higher) near2 (rate\$1 speed\$4) with arrays)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:34
S86	43	((select\$3 choos\$4) near3 (fast\$3 highest higher) near2 (rate\$1 speed\$4) with disks)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:37
S87	0	((select\$3 choos\$4) near3 (fast\$3 highest higher) near2 (rate\$1 speed\$4) with disks with ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:35
S88	1	((select\$3 choos\$4) near3 (fast\$3 highest higher) near2 (rate\$1 speed\$4) with disks same ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:36
S89	2	((select\$3 choos\$4) with (fast\$3 highest higher) near2 (rate\$1 speed\$4) with disks same ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:29

EAST Search History

S90	2	((select\$3 choos\$4) with (fast\$3 highest higher) with (rate\$1 speed\$4) with disks same ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:36
S91	0	((select\$3 choos\$4) near3 (fast\$3 highest higher) near2 (rate\$1 speed\$4) with disks with configur\$3)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:37
S92	12	((fast\$3 highest higher) near2 (rate\$1 speed\$4) with disks with configur\$3)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:03
S93	19	((fast\$3 highest higher) with (rate\$1 speed\$4) with disks with configur\$3)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:03
S94	2	("6745281").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 18:39
S95	2	("20010037358").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 18:40
S96	2	("6898633").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 18:40
S97	2	("20010054065").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 18:41

EAST Search History

S98	2	("6973491").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 18:41
S99	2	("6275846").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 18:42
S100	2	("6415331").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/31 18:42
S101	2	("20020010767").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/01 07:59
S102	2	("5956750").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/01 10:38
S103	2	("6745281").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/01 10:38
S104	429	(configur\$3 with disks with (connections paths))and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:17
S105	63	(configur\$3 with disks with (connections paths)).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:17

EAST Search History

S10 6	13	(configur\$3 with disks with (connections paths) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:26
S10 7	22	(configur\$3 with arrays with (connections paths) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:29
S10 8	54	(configur\$3 with storages with (connections paths) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:29
S10 9	6	(configur\$3 with storages with (connections paths) with ports).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:31
S11 0	11	"709"/\$.ccls. and (configur\$3 with storages with (connections paths) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:56
S11 1	4	((("6535855") or ("6311274")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/28 17:58
S11 2	2	("6445774").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/28 18:03
S11 3	2	("5923756").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/28 18:03

EAST Search History

S11 4	2	("6421711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/29 14:18
S11 5	2	("5884098").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/29 14:19
S11 6	2	("6845395").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/29 14:19
S11 7	536	((speed rate) with path\$1 with configur\$4)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:21
S11 8	5	EMC and ((speed rate) with path\$1 with configur\$4)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:24
S11 9	66	((speed rate) with path\$1 with configur\$4).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:32
S12 0	0	((speed rate) with path\$1 with configur\$4).ab. and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:25
S12 1	20115869	((speed rate) with path\$1 with configur\$4 with ports)".ab.and" @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:25

EAST Search History

S12 2	11	((select\$3 choos\$3) near1 (path\$3 connections) with (speed rate\$3) and ports).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:28
S12 3	2681	((select\$3 choos\$4) with (fast\$3 rates speeds)with ports)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:30
S12 4	538	((select\$3 choos\$4) with (fast\$3 rates speeds)with ports).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:30
S12 5	0	EMC and ((select\$3 choos\$4) with (fast\$3 rates speeds)with ports).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:30
S12 6	1	((select\$3 choos\$4) with (fast\$3 rates speeds)with ports).ab. and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:31
S12 7	2	((select\$3 choos\$4) with (fast\$3 rates speeds)with ports) same RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:31
S12 8	7	((select\$3 choos\$4) with (fast\$3 rates speeds)with ports) and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:32
S12 9	534	(higher with (speed rate) and configura\$4).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:32

EAST Search History

S13 0	79	((higher with (speed rate) and configura\$4 and (paths connections)).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:35
S13 1	129	((faster higher) with configura\$4 and (paths connections)).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:38
S13 2	719250	((faster higher) with configura\$4 with (paths connections)) awith ports and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:38
S13 3	14	((faster higher) with configura\$4 with (paths connections)) with ports and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:40
S13 4	23	((faster higher) with (paths connections)) with ports same configur\$4 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:41
S13 5	286	((faster higher) with ports same configur\$4) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:42
S13 6	28	((faster higher) with ports same configur\$4).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:44
S13 7	611	((faster higher) with configur\$4).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:44

EAST Search History

S13 8	1	((faster higher) with configur\$4).ab. and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 14:44
S13 9	5	("6,24,711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:43
S14 0	2	("6,241,711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 13:44
S14 1	2	("6,421,711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 14:09
S14 2	2	("6854034").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 14:09
S14 3	1207986	(select\$3 choos\$4) with fastest paths and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:08
S14 4	32	(select\$3 choos\$4) with fastest near2 paths and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:13
S14 5	6	(select\$3 choos\$4) with fastest near2 connections and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:15

EAST Search History

S14 6	0	(port\$1 with fastest near2 connections) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:15
S14 7	0	(port\$1 with fastest near2 (connections paths)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:15
S14 8	1	(port\$1 with fastest near2 (connections paths links)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:16
S14 9	238	(port\$1 with rate\$4 near2 (connections paths links)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:17
S15 0	1	(port\$1 with rate\$4 near2 (connections paths links)) and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:42
S15 1	112026	((select\$4 choos\$4) port\$1 with rate\$4 near2 (connections paths links)) and SAN and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:42
S15 2	2	((select\$4 choos\$4) with port\$1 with rate\$4 near2 (connections paths links)) and SAN and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:53
S15 3	51	((select\$4 choos\$4) with rate\$4 near2 (connections paths links)) and SAN and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:56

EAST Search History

S15 4	0	SAN.ab. and ((select\$4 choos\$4) with rate\$4 near2 (connections paths links)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:56
S15 5	0	SAN.ab. and ((select\$4 choos\$4) with rate\$4 with(connections paths links)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:56
S15 6	20	SAN.ab. and ((select\$4 choos\$4) with (connections paths links)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:57
S15 7	8	SAN.ab. and ((select\$4 choos\$4) near2 (connections paths links)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:00
S15 8	199	SAN and ((select\$4 choos\$4) near2 (connections paths links) with (rat\$3 speed\$4)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:01
S15 9	0	SAN same ((select\$4 choos\$4) near2 (connections paths links) with (rat\$3 speed\$4)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:01
S16 0	6314	SAN.ab. ((select\$4 choos\$4) near2 (connections paths links) with (rat\$3 speed\$4)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:02
S16 1	0	SAN.ab. and ((select\$4 choos\$4) near2 (connections paths links) with (rat\$3 speed\$4)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:02

EAST Search History

S16 2	131	SAN same ((connections paths links) with (rat\$3 speed\$4)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:30
S16 3	46	SAN same ((configur\$) with (rat\$3 speed\$4)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:31
S16 4	14	SAN same ((configur\$) with (rat\$3 speed\$4) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:31
S16 5	1	SAN.ab. and ((configur\$) with (rat\$3 speed\$4) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:32
S16 6	292	SAN and ((configur\$) with (rat\$3 speed\$4) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:32
S16 7	19	EMC and ((configur\$) with (rat\$3 speed\$4) with ports) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:33
S16 8	3323	((rat\$3 speed\$4) with ports with (choos\$4 select\$4)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:34
S16 9	438	((rat\$3 speed\$4) with ports with (choos\$4 select\$4) with (links paths connections channels)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:35

EAST Search History

S17 0	76	((rat\$3 speed\$4) with ports with (choos\$4 select\$4) with (links paths connections channels)).ab. and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:38
S17 1	0	((rat\$3 speed\$4) with ports with (choos\$4 select\$4) with (links paths connections channels)) with RAIDs and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:38
S17 2	0	((rat\$3 speed\$4) with ports with (choos\$4 select\$4) with (links paths connections channels)) same RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:38
S17 3	20628	((rat\$3 speed\$4) with ports with (choos\$4 select\$4) with (links paths connections channels)) adn RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:38
S17 4	2	((rat\$3 speed\$4) with ports with (choos\$4 select\$4) with (links paths connections channels)) and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:41
S17 5	7	((rat\$3 speed\$4) with ports with (choos\$4 select\$4)) and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:33
S17 6	15	((rat\$3 speed\$4) with (connections links) with (choos\$4 select\$4)) and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:38
S17 7	2	("5922056").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 17:35

EAST Search History

S17 8	3	((bandwidth) with (connections links) with (choos\$4 select\$4)) and RAID and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:41
S17 9	140	((bandwidth) with (connections links) with (choos\$4 select\$4)) and SAN and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:42
S18 0	4	((bandwidth) with (connections links) with (choos\$4 select\$4)).ab. and SAN and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:42
S18 1	0	((bandwidth) with (connections links) with (choos\$4 select\$4)) same SAN and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:42
S18 2	17	((bandwidth) with (connections links) with (choos\$4 select\$4)) same arrays and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:44
S18 3	25	((bandwidth) with (connections links) with (choos\$4 select\$4)) same storag\$ and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:57
S18 4	8	((bandwidth) with (connections links) with (choos\$4 select\$4)) same disks and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:58
S18 5	3	((bandwidth) with (connections links) with (choos\$4 select\$4)) same volumes and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 18:00

EAST Search History

S18 6	2	("6578108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 18:00
----------	---	-----------------	---	----	-----	------------------